



**Permissible fuels for each engine type  
according to emission standard Euro 6  
– Bus –**

This publication was issued by:

MAN Truck & Bus SE  
Dachauer Straße 667  
80995 München  
Germany  
Telephone +49 89 1580-0  
[www.mantruckandbus.com](http://www.mantruckandbus.com)

Version: 02.2021

We reserve the right to make technical modifications in the course of further development.

© 2021 MAN Truck & Bus SE

Diesel engine	Engine type	Emission		Permissible fuels
		standard		
<b>Key:</b> EN 590 = mineral diesel fuel EN 14214 = FAME fuel (biodiesel) EN 15940 = paraffinic diesel fuel				
D0836	D0836LOH66	Euro 6b	EN 590	
	D0836LOH67	Euro 6b	EN 590	
	D0836LOH72	Euro 6b	EN 590	
	D0836LOH73	Euro 6b	EN 590	
	D0836LOH74	Euro 6b	EN 590	
	D0836LOH75	Euro 6a	EN 590, EN 14214 <sup>1</sup>	
	D0836LOH76	Euro 6a	EN 590, EN 14214 <sup>1</sup>	
	D0836LOH77	Euro 6a	EN 590, EN 14214 <sup>1</sup>	
	D0836LOH78	Euro 6c	EN 590, EN 15940	
	D0836LOH79	Euro 6c	EN 590, EN 15940	
	D0836LOH80	Euro 6c	EN 590, EN 15940	
	D0836LOH81	Euro 6c	EN 590, EN 15940	
	D0836LOH82	Euro 6c	EN 590, EN 15940	
	D0836LOH83	Euro 6c	EN 590, EN 14214 <sup>1</sup>	
	D0836LOH84	Euro 6c	EN 590, EN 14214 <sup>1</sup>	
	D0836LOH85	Euro 6c	EN 590, EN 14214 <sup>1</sup>	
	D0836LOH86	Euro 6d	EN 590, EN 15940	
	D0836LOH87	Euro 6d	EN 590, EN 15940	
	D0836LOH88	Euro 6d	EN 590, EN 14214 <sup>1</sup>	
	D0836LOH89	Euro 6d	EN 590, EN 14214 <sup>1</sup>	
D0836LOH90	Euro 6e	EN 590, EN 15940		
D0836LOH91	Euro 6e	EN 590, EN 15940		
D0836LOH92	Euro 6e	EN 590, EN 14214 <sup>1</sup>		
D0836LOH93	Euro 6e	EN 590, EN 14214 <sup>1</sup>		
D1556	D1556LOH10	Euro 6d	EN 590, EN 15940	
	D1556LOH11	Euro 6d	EN 590, EN 15940	
	D1556LOH12	Euro 6d	EN 590, EN 15940	
	D1556LOH13	Euro 6d	EN 590, EN 14214 <sup>1</sup>	
	D1556LOH14	Euro 6d	EN 590, EN 14214 <sup>1</sup>	
	D1556LOH15	Euro 6d	EN 590, EN 14214 <sup>1</sup>	
	D1556LOH16	Euro 6e	EN 590, EN 15940	
	D1556LOH17	Euro 6e	EN 590, EN 15940	
	D1556LOH18	Euro 6e	EN 590, EN 15940	
	D1556LOH19	Euro 6e	EN 590, EN 14214 <sup>1</sup>	
	D1556LOH20	Euro 6e	EN 590, EN 14214 <sup>1</sup>	
D1556LOH21	Euro 6e	EN 590, EN 14214 <sup>1</sup>		
D2066	D2066LOH30	Euro 6b	EN 590	
	D2066LOH31	Euro 6b	EN 590	
	D2066LOH32	Euro 6b	EN 590	
	D2066LUH50	Euro 6b	EN 590	
	D2066LUH51	Euro 6b	EN 590	
	D2066LUH52	Euro 6b	EN 590	
	D2066LUH53	Euro 6b	EN 590	
	D2066LUH55	Euro 6a	EN 590, EN 14214 <sup>1</sup>	

<sup>1</sup> In the case of alternating operation with EN 14214 and EN 590, the restrictions and instructions are the same as those that apply to continuous operation with EN 14214, see maintenance and service product recommendation.

Diesel engine	Engine type	Emission standard	Permissible fuels	Key:
				EN 590 = mineral diesel fuel EN 14214 = FAME fuel (biodiesel) EN 15940 = paraffinic diesel fuel
D2066	D2066LUH56	Euro 6a	EN 590, EN 14214 <sup>1</sup>	
	D2066LUH57	Euro 6c	EN 590, EN 15940	
	D2066LUH58	Euro 6c	EN 590, EN 15940	
	D2066LUH59	Euro 6c	EN 590, EN 15940	
	D2066LUH61	Euro 6c	EN 590, EN 14214 <sup>1</sup>	
	D2066LUH62	Euro 6c	EN 590, EN 14214 <sup>1</sup>	
	D2066LUH63	Euro 6d	EN 590, EN 15940	
	D2066LUH64	Euro 6d	EN 590, EN 15940	
	D2066LUH65	Euro 6d	EN 590, EN 15940	
	D2066LUH67	Euro 6d	EN 590, EN 14214 <sup>1</sup>	
	D2066LUH68	Euro 6d	EN 590, EN 14214 <sup>1</sup>	
	D2066LUH69	Euro 6d	EN 590, EN 15940	
	D2066LUH70	Euro 6d	EN 590, EN 14214 <sup>1</sup>	
D2676	D2676LOH30	Euro 6b	EN 590	
	D2676LOH31	Euro 6b	EN 590	
	D2676LOH32	Euro 6b	EN 590	
	D2676LOH35	Euro 6c	EN 590, EN 15940	
	D2676LOH36	Euro 6c	EN 590, EN 15940	
	D2676LOH37	Euro 6c	EN 590, EN 15940	
	D2676LOH38	Euro 6d	EN 590, EN 15940	
	D2676LOH39	Euro 6d	EN 590, EN 15940	
	D2676LOH40	Euro 6d	EN 590, EN 15940	
	D2676LOH41	Euro 6c	EN 590, EN 15940	
	D2676LOH42	Euro 6d	EN 590, EN 15940	
	D2676LOH43	Euro 6d	EN 590, EN 15940	
	D2676LOH47	Euro 6e	EN 590, EN 15940	
	D2676LOH48	Euro 6e	EN 590, EN 15940	
	D2676LOH49	Euro 6e	EN 590, EN 15940	
D2676LOH50	Euro 6e	EN 590, EN 14214 <sup>1</sup>		
D2676LOH51	Euro 6e	EN 590, EN 14214 <sup>1</sup>		
D2676LOH52	Euro 6e	EN 590, EN 14214 <sup>1</sup>		

<sup>1</sup> In the case of alternating operation with EN 14214 and EN 590, the restrictions and instructions are the same as those that apply to continuous operation with EN 14214, see maintenance and service product recommendation.

Gas engine	Engine type	Emission standard	Permissible fuels	Key:
				EN 16723 = CNG fuel (natural gas, biomethane)
E1856	E1856LOH01	Euro 6d	EN 16723	
	E1856LOH02	Euro 6d	EN 16723	
	E1856LOH03	Euro 6e	EN 16723	
	E1856LOH04	Euro 6e	EN 16723	
E2876	E2876LUH07	Euro 6c	EN 16723	
	E2876LUH08	Euro 6c	EN 16723	
	E2876LUH09	Euro 6d	EN 16723	
	E2876LUH10	Euro 6d	EN 16723	